

## **Region 3 GPRA Baseline RCRA Corrective Action Facility**

# **Bethlehem Steel Corp. - Williamsport**

**Foot of Campbell Street  
Williamsport, PA 17701  
Congressional District 10  
EPA ID #: PAD003053758  
Last Updated 12/31/2002**

## **Current Progress at the Site**

---

This facility is one of EPA Region III's high priority RCRA corrective action sites and EPA has determined that both the Human Exposure and Groundwater Environmental Indicators have been met.

On March 30, 1999, EPA determined that both the Human Exposures and Groundwater Environmental Indicators have been met. EPA is currently evaluating the information to determine if all other corrective action requirements have been met.

## **Site Description**

---

The Bethlehem Steel Corp. facility is located at the foot of Campbell Street in Williamsport, Lycoming County, Pa. Bethlehem Steel Corp. previously manufactured wire rope and strand at the facility. Sludge, including spent liquor sludge, from the plant's wastewater treatment facility accumulated in three surface impoundments. The impoundments were closed as disposal impoundments under a RCRA closure plan approved by the State. The impoundments were certified closed on November 5, 1990 and a RCRA Post Closure Permit was issued in April 1994. Bethlehem Steel Corp. is conducting monitoring and maintenance at the disposal impoundments as required by the Post Closure Permit.

## **Site Responsibility**

---

RCRA Corrective Action activities at this facility are being conducted under the direction of EPA Region III with assistance from the State.

## **Government Contact**

---

EPA Branch Chief  
Mr. Paul Gotthold - 3WC22  
U.S. Environmental Protection Agency - Region III  
1650 Arch Street  
Philadelphia, PA 19103-2029  
Phone: (215) 814-3410  
Email: [gotthold.paul@epa.gov](mailto:gotthold.paul@epa.gov)

For more information about EPA's corrective action webpage, including Environmental Indicators, please visit our site at: [www.epa.gov/reg3wcmd/correctiveaction.htm](http://www.epa.gov/reg3wcmd/correctiveaction.htm)



